Author Index of Volume 187

Alessio, E., 39
Alnaji, O., 31
Apaolaza, J. A., 175
Ashmawy, F. M., 155
Assis, M. D., 107
Attia, W. M., 39

Balch, A. L., 181
Bastian, M., 227
Battaglia, L. P., 141
Beauchamp, A. L., 31
Berry, A., 207
Billing, D. G., 17
Block, E., 59
Bonamartini Corradi, A., 141
Bonardi, A., 167
Bruni, S., 141

Calligaris, M., 39
Cariati, F., 141
Casassas, E., 187
Ceccato, A. S., 119
Chin Choon Ong, 221
Constable, E. C., 1
Coville, N. J., 17

Dartiguenave, M., 31
Dartiguenave, Y., 31
Davison, A., 51
de Groff, C., 73
de Juan, A., 187
Dewan, J. C., 123
Dziembaj, R., 5

El-Etri, M. M., 201
Erni, I., 9
Erthal, S. M. D., 119

Fedin, V. P., 81
Fedorov, V. Ye., 81
Fonrodona, G., 187
Forniés, J., 175
Forti, L., 197

George, C., 207
Geras'ko, O. A., 81
Guimerans, R. R., 181

Hauger, B. E., 91
Heath, G. A., 149
Hegetschweiler, K., 9
Henn, M., 39
Herlinger, E., 239
House, D. A., 125
Huffman, J. C., 91
Hynes, M. J., 159

Iamamoto, Y., 107
Ianelli, S., 167
Ikorskii, V. N., 67
Ingham, W. L., 17

Jameson, R. F., 239
Johnson, J. E. B., 73
Jones, A. G., 51

Kang, H., 59
Keene, F. R., 217
Kelly, D. F., 159
Kennedy, B. J., 149
Khan, M. S., 1
Koman, M., 141
Korsunsky, V. I., 23
Kort, D. A., 91

Levendis, D. C., 17
Lewis, J., 1
Linert, W., 239
Liptrot, M. C., 1

McAuliffe, C. A., 155
Meinema, H. A., 99
Mestroni, G., 39
Miller, S. E., 125
Muraveiskaya, G. S., 23

Nascimento, O. R., 107
Neves, A., 119
Nicholson, T., 51
Noll, B. C., 181
Nuber, B., 119

Ofori-Okai, G., 59
Olmstead, M. M., 181
Oskam, A., 133
Ovcharenko, V. I., 67

Parish, R. V., 155
Pazik, J. C., 207
Pelizzi, C., 167
Pelizzi, G., 167
Podberezskaya, N. V., 81
Prins, T. J., 91
Pritchard, R. G., 155

Raithby, P. R., 1
Reznikov, V. A., 67
Rich, H. W., 9
Romanenko, G. V., 67
Ruminski, R. R., 73

Saladini, M., 197
Schneider, W., 9
Scovell, W. M., 201
Serra, O. A., 107
Sidorov, A. A., 23
Sieklucka, B., 5
Sigel, H., 227
Silver, M. E., 91
Simard, M., 31
Sokolov, M. N., 81
Sola, M., 197
Solinas, C., 167
Stephenson, P. J., 217
Streit, H. M., 9
Stufkens, D. J., 133

Tiekink, E. R. T., 217
Timmer, K., 99

Ujaimi, A. R., 155
Usón, M. A., 175
Usón, R., 175

Vance, P. J., 91
van der Graaf, T., 133
van Rooy, A., 133
Vencato, I., 119
Virovets, A. V., 81
Volodarskii, L. B., 67

Walters, M. A., 123
Weiss, J., 119
Wemple, M. E., 91
Witkowski, S., 5

Zubieta, J. A., 59

Elsevier Sequoia, Lausanne

Subject Index of Volume 187

Alkyl complexes
primary and secondary neopentyl arsines and their reactions with trimethylgallium; crystal and molecular structure of $[Me_2GaAs(CH_2CMe_3)_2]_2$, 207
Allyl complexes
Hf halide compounds of methyl substituted allyl ligands; synthesis, crystal structure and dynamics of $(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}1,2,3\text{-}Me_3allyl)HfBr_2$ and $(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}1,1,2\text{-}Me_3allyl)HFBr_2$, 91
Amino acid complexes
complex formation followed by internal electron transfer; reaction between L-dopa and Fe(III), 239
solid state behaviour of *N*-tosyl-DL-asparagine–Cu(II)–2,2′-bipyridine system, 197
Ammine complexes
synthesis and characterization of tetraammineruthenium(II) complexes bound to bridging ligand 3,6-bis(2-pyridyl)1,2,4,5-tetrazine (bptz); comparative effects of σ and π peripheral ligands on electronic absorption and electrochemical properties, 73
Ammonia complexes
anation kinetics of *cis*-$Pt(X)(NH_3)_2(OH)_2^+$ (X = Cl, OH) with glycine, monohydrogen malonate and chloride, 125
structure of mixed-valence Pt complexes $[Pt^{II}(en)(SCN)_2][Pt^{IV}(en)(SCN)_2I_2]$ and *cis*-$[Pt^{II}(NH_3)_2(SCN)_2][Pt^{IV}(NH_3)_2(SCN)_2I_2]$ studied by method of radial distribution function of atoms, 23
Aquo complexes
anation kinetics of *cis*-$Pt(X)(NH_3)_2(OH_2)^+$ (X = Cl, OH) with glycine, monohydrogen malonate and chloride, 125
Arsine complexes
primary and secondary neopentyl arsines and their reactions with trimethylgallium; crystal and molecular structure of $[Me_2GaAs(CH_2CMe_3)_2]_2$, 207

Barium complexes
synthesis and characterization of $BaX_2 \cdot$ 18-crown-6 complexes; Ba bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionate)·18-crown-6, non-hygroscopic, thermally stable, volatile Ba compound, 99
Bidentate ligand complexes
facile synthesis of $[\{Fe(salphen)\}_2O]$ ($salphenH_2$ = *N,N′-o*-phenylenebis(salicylidineimine)) and X-ray crystal structure of $[\{Fe(salphen)\}_2O] \cdot DMSO$, 155
halogen atom and electron transfer reactions of $(CO)_5MM'(CO)_3$(α-diimine) (M, M′ = Mn, Re) complexes, 133
Hg(II) complexes of bis(diphenylphosphinomethyl)-phenylphosphine, 181
solid state behaviour of *N*-tosyl-DL-asparagine–Cu(II)–2,2′-bipyridine system, 197
Bimetallic complexes
halogen atom and electron transfer reactions of $(CO)_5MM'(CO)_3$(α-diimine) (M, M′ = Mn, Re) complexes, 133
Biochemistry
new N,O-donor hexadentate ligand and its first V(III) complex, 119

Cadmium complexes
piperazinium and *N*-methyl-piperazinium tetrahalocadmates(II) containing discrete $[CdX_4]^{2-}$ units, 141
spectral properties of Cd porphyrin apomyoglobin and apohemoglobin complexes, 221
Carbonyl complexes
halogen atom and electron transfer reactions of $(CO)_5MM'(CO)_3$(α-diimine) (M, M′ = Mn, Re) complexes, 133
metal dimer chemistry; Me_3NO induced substitution reactions of $(\eta^5\text{-}C_5H_5)MoMn(CO)_6$; X-ray structure determination of $(\eta^5\text{-}C_5H_5)MoMn(CO)_7$-$[P(OMe_3)]$, 17
Chelate complexes
coordination of bis(2-pyridyl)phosphinic acid as tridentate ligand; crystal structure of {bis(2-pyridyl)-phosphinato}{tris(2-pyridyl)phosphine oxide}Ru(II) cation, $[Ru\{py_2P(O)O\}\{py_3PO\}]BF_4 \cdot 2H_2O$, 217
crystal and molecular structure of diprotonated planar pentadentate macrocyclic ligand obtained from transient template condensation of 2,9-bis(α-methylhydrazino)-1,10-phenanthroline with 2,6-pyridinedialdehyde, 1
facile synthesis of $[\{Fe(salphen)\}_2O]$ ($salphenH_2$ = *N,N′-o*-phenylenebis(salicylidineimine)) and X-ray crystal structure of $[\{Fe(salphen)\}_2O] \cdot DMSO$, 155
solid state behaviour of *N*-tosyl-DL-asparagine–Cu(II)–2,2′-bipyridine system, 197
Cluster complexes
triangular $M_3Se_7^{4+}$ and $M_3Se_4^{4+}$ complexes (M = Mo, W); X-ray study of $Mo_3Se_7(Et_2NCS_2)_4$ and $W_3Se_7(Et_2NCS_2)_4$, 81
Cobalt complexes
preparation and properties of Co(II) phosphine complexes containing nitro and nitrosyl ligands, 31
synthesis and magnetic properties of Cu(II), Ni(II) and Co(II) complexes with nitroenamine, stable nitroxide imidazolidine radical; crystal structure of $CoL_2(CH_3OH)_2$, 67
Copper complexes
Cu(I) complexes of sterically-hindered 2-pyridinethione ligands; crystal structures of $[CuCl(2\text{-}SC_5H_2NH\text{-}3\text{-}SiMe_3\text{-}6\text{-}SiEt_3)_2]$ and disulfide, $[-2\text{-}SC_5H_2N\text{-}3,6\text{-}(SiMe_2Bu^t)_2]_2$, 59
solid state behaviour of *N*-tosyl-DL-asparagine–Cu(II)–2,2′-bipyridine system, 197

Elsevier Sequoia, Lausanne

tetranuclear Cu(II) complexes with polydentate hydrazone ligands; synthesis and X-ray structure, 167
Crystal structure(s)
of $(\eta^5\text{-}C_5H_5)MoMn(CO)_7[P(OMe)_3]$, 17
of $(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}1,2,3\text{-}Me_3allyl)HfBr_2$ and $(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}1,1,2\text{-}Me_3allyl)HfBr_2$, 91
of $CoL_2(CH_3OH)_2$, 67
of Co(II) phosphine complexes containing nitro and nitrosyl ligands, 31
of $[CuCl(2\text{-}SC_5H_2NH\text{-}3\text{-}SiMe_3\text{-}6\text{-}SiEt_3)_2]$ and disulfide, $[\text{-}2\text{-}SC_5H_2N\text{-}3,6\text{-}(SiMe_2Bu^t)_2]_2$, 59
of diprotonated planar pentadentate macrocyclic ligand obtained from transient template condensation of 2,9-bis(α-methylhydrazino)-1,10-phenanthroline with 2,6-pyridinedialdehyde, 1
Hg(II) complexes of bis(diphenylphosphinomethyl)-phenylphosphine, 181
of $[Me_2GaAs(CH_2CMe_3)_2]_2$, 207
of $Mo_3Se_7(Et_2NCS_2)_4$ and $W_3Se_7(Et_2NCS_2)_4$, 81
piperazinium and *N*-methyl-piperazinium tetrahalocadmates(II) containing discrete $[CdX_4]^{2-}$ units, 141
of $[Pt^{II}(en)(SCN)_2][Pt^{IV}(en)(SCN)_2I_2]$ and *cis*-$[Pt^{II}(NH_3)_2(SCN)_2][Pt^{IV}(NH_3)_2(SCN)_2I_2]$, 23
of *cis,fac*-$RuCl_2(DMSO)_3(NH_3)$ and *trans,cis,cis*-$RuCl_2(DMSO)_2(NH_3)_2\cdot 2H_2O$, 39
of $[Ru\{py_2P(O)O\}\{py_3PO\}]BF_4\cdot 2H_2O$, 217
of $[TcCl_3(NPh)((PPh_3)_2]\cdot CH_2Cl_2$, 51
tetranuclear Cu(II) complexes with polydentate hydrazone ligands; synthesis and X-ray structure, 167
of *N*-tosyl-DL-asparagine–Cu(II)–2,2′-bipyridine, 197
Cyanide complexes
XPS evidence for photoproduction of W(VI) cyano complexes in charge-transfer photochemistry of $W(CN)_8^{3-}$ ion in non-aqueous solvents, 5
Cyclopentadienyl complexes
metal dimer chemistry; Me_3NO induced substitution reactions of $(\eta^5\text{-}C_5H_5)MoMn(CO)_8$; X-ray structure determination of $(\eta^5\text{-}C_5H_5)MoMn(CO)_7[P(OMe)_3]$, 17

Dioxane solutions
correlation of acid–base properties of solutes with polarity parameters and other solvatochromic parameters of dioxane–water mixtures, 187

Electrochemistry
correlation of acid–base properties of solutes with polarity parameters and other solvatochromic parameters of dioxane–water mixtures, 187
new N,O-donor hexadentate ligand and its first V(III) complex, 119
Electron transfer
complex formation followed by internal electron transfer; reaction between L-dopa and Fe(III), 239

Gallium complexes
primary and secondary neopentyl arsines and their reactions with trimethylgallium; crystal and molecular structure of $[Me_2GaAs(CH_2CMe_3)_2]_2$, 207

Halide complexes
Hg(II) complexes of bis(diphenylphosphinomethyl)-phenylphosphine, 181
piperazinium and *N*-methyl-piperazinium tetrahalocadmates(II) containing discrete $[CdX_4]^{2-}$ units, 141
preparation and optical charge transfer spectrum of hexachlororhenium(V) anion, 149
Hafnium complexes
Hf halide compounds of methyl substituted allyl ligands; synthesis, crystal structure and dynamics of $(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}1,2,3\text{-}Me_3allyl)HfBr_2$ and $(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}1,1,2\text{-}Me_3allyl)HfBr_2$, 91
Heterobimetallic complexes
metal dimer chemistry; Me_3NO induced substitution reactions of $(\eta^5\text{-}C_5H_5)MoMn(CO)_8$; X-ray structure determination of $(\eta^5\text{-}C_5H_5)MoMn(CO)_7[P(OMe)_3]$, 17
synthesis and characterization of $MnFe[\mu\text{-}(SC_6H_5)]_3(CO)_6$, heterobimetallic complex formed by self-assembly, 123
Heterocyclic ligand complexes
Cu(I) complexes of sterically-hindered 2-pyridinethione ligands; crystal structures of $[CuCl(2\text{-}SC_5H_2NH\text{-}3\text{-}SiMe_3\text{-}6\text{-}SiEt_3)_2]$ and disulfide, $[\text{-}2\text{-}SC_5H_2N\text{-}3,6\text{-}(SiMe_2Bu^t)_2]_2$, 59
Hexadentate ligand complexes
new N,O-donor hexadentate ligand and its first V(III) complex, 119
Hydrolysis
anation kinetics of *cis*-$Pt(X)(NH_3)_2(OH_2)^+$ (X = Cl, OH) with glycine, monohydrogen malonate and chloride, 125

Imido complexes
synthesis of Tc(V) phenylimido complex from pertechenate; single crystal X-ray structure of $[TcCl_3(NPh)(PPh_3)_2]\cdot CH_2Cl_2$, 51
Iron complexes
complex formation followed by internal electron transfer; reaction between L-dopa and Fe(III), 239
crystal and molecular structure of diprotonated planar pentadentate macrocyclic ligand obtained from transient template condensation of 2,9-bis(α-methylhydrazino)-1,10-phenanthroline with 2,6-pyridinedialdehyde, 1
EPR and electronic spectroscopy study of intermediates in mono *o*-nitro substituted Fe porphyrin reaction with iodosylbenzene, 107
facile synthesis of $[\{Fe(salphen)\}_2O]$ (salphenH_2 = *N,N′-o*-phenylenebis(salicylidineimine)) and X-ray crystal structure of $[\{Fe(salphen)\}_2O]\cdot DMSO$, 155
mononuclear, oligonuclear and polynuclear Fe(III) complexes with polyalcohols formed in alkaline aqueous media, 9
reactions of metal ions with protonated ligands; kinetics and mechanisms of reactions of Fe(III) with heptane-2,4,6-trione (H_2hto), 1-phenylhexane-1,3,5-trione (H_2phto) and 1,5-diphenylpentane-1,3,5-trione (H_2dppto) in methanol–water (70:30 vol./vol.) at 25 °C and I = 0.5 mol dm^{-3}, 159

Ketone complexes
reactions of metal ions with protonated ligands; kinetics and mechanisms of reactions of Fe(III) with heptane-2,4,6-trione (H_2hto), 1-phenylhexane-1,3,5-trione (H_2phto) and 1,5-diphenylpentane-1,3,5-trione (H_2dppto) in methanol–water (70:30 vol./vol.) at 25 °C and $I = 0.5$ mol dm^{-3}, 159
Kinetics and mechanism
anation kinetics of *cis*-$Pt(X)(NH_3)_2(OH)_2^+$ (X = Cl, OH) with glycine, monohydrogen malonate and chloride, 125
mononuclear, oligonuclear and polynuclear Fe(III) complexes with polyalcohols formed in alkaline aqueous media, 9
reactions of metal ions with protonated ligands; kinetics and mechanisms of reactions of Fe(III) with heptane-2,4,6-trione (H_2hto), 1-phenylhexane-1,3,5-trione (H_2phto) and 1,5-diphenylpentane-1,3,5-trione (H_2dppto) in methanol–water (70:30 vol./vol.) at 25 °C and $I = 0.5$ mol dm^{-3}, 159
stability and structure of Mg^{2+}, Ca^{2+} and Cu^{2+} complexes of orotidinate 5′-monophosphate $(OMP)^{3-}$ in various aqueous 1,4-dioxane mixtures, 227

Macrocyclic ligand complexes
crystal and molecular structure of diprotonated planar pentadentate macrocyclic ligand obtained from transient template condensation of 2,9-bis(α-methylhydrazino)-1,10-phenanthroline with 2,6-pyridinedialdehyde, 1
synthesis and characterization of $BaX_2 \cdot 18$-crown-6 complexes; Ba bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionate)·18-crown-6, non-hygroscopic, thermally stable, volatile Ba compound, 99
Manganese complexes
halogen atom and electron transfer reactions of $(CO)_5MM'(CO)_3$(α-diimine) (M, M′ = Mn, Re) complexes, 133
metal dimer chemistry; Me_3NO induced substitution reactions of $(\eta^5\text{-}C_5H_5)MoMn(CO)_6$; X-ray structure determination of $(\eta^5\text{-}C_5H_5)MoMn(CO)_7[P(OMe)_3]$, 17
Mercury complexes
Hg(II) complexes of bis(diphenylphosphinomethyl)-phenylphosphine, 181
Metal complexes
stability and structure of Mg^{2+}, Ca^{2+} and Cu^{2+} complexes of orotidinate 5′-monophosphate $(OMP)^{3-}$ in various aqueous 1,4-dioxane mixtures, 227
Mixed metal thiolate complexes
synthesis and characterization of $MnFe[\mu\text{-}(SC_6H_5)]_3(CO)_6$, heterobimetallic complex formed by self-assembly, 123
Molybdenum complexes
metal dimer chemistry; Me_3NO induced substitution reactions of $(\eta^5\text{-}C_5H_5)MoMn(CO)_6$; X-ray structure determination of $(\eta^5\text{-}C_5H_5)MoMn(CO)_7[P(OMe)_3]$, 17
triangular $Mo_3Se_7^{4+}$ and $Mo_3Se_4^{4+}$ complexes (M = Mo, W); X-ray study of $Mo_3Se_7(Et_2NCS_2)_4$ and $W_3Se_7(Et_2NCS_2)_4$, 81

Nitro complexes
preparation and properties of Co(II) phosphine complexes containing nitro and nitrosyl ligands, 31
Nitrogen ligand complexes
Ru(II)–dimethyl sulfoxide complexes with nitrogen ligands; synthesis, characterization and solution chemistry; crystal structures of *cis,fac*-$RuCl_2(DMSO)_3(NH_3)$ and *trans,cis,cis*-$RuCl_2(DMSO)_2(NH_3)_2 \cdot H_2O$, 39
Nitrosyl complexes
preparation and properties of Co(II) phosphine complexes containing nitro and nitrosyl ligands, 31
N,O-donors
new N,O-donor hexadentate ligand and its first V(III) complex, 119

Orotidinate complexes
stability and structure of Mg^{2+}, Ca^{2+} and Cu^{2+} complexes of orotidinate 5′-monophosphate $(OMP)^{3-}$ in various aqueous 1,4-dioxane mixtures, 227
Oxidation
EPR and electronic spectroscopy study of intermediates in mono σ-nitro substituted Fe porphyrin reaction with iodosylbenzene, 107

Palladium complexes
anionic pentafluorothiophenolato complexes of Pd(II) or Pt(II), 175
Perfluoroalkyl complexes
anionic pentafluorothiophenolato complexes of Pd(II) or Pt(II), 175
Photochemistry
halogen atom and electron transfer reactions of $(CO)_5MM'(CO)_3$(α-diimino) (M, M′ = Mn, Re) complexes, 133
XPS evidence for photoproduction of W(VI) cyano complexes in charge-transfer photochemistry of $W(CN)_8^{3-}$ ion in non-aqueous solvents, 5
Platinum complexes
anation kinetics of *cis*-$Pt(X)(NH_3)_2(OH)_2^+$ (X = Cl, OH) with glycine, monohydrogen malonate and chloride, 125
anionic pentafluorothiophenolato complexes of Pd(II) or Pt(II), 175
structure of mixed-valence Pt complexes of $[Pt^{II}(en)(SCN)_2][Pt^{IV}(en)(SCN)_2I_2]$ and *cis*-$[Pt^{II}(NH_3)_2(SCN)_2][Pt^{IV}(NH_3)_2(SCN)_2I_2]$ studied by method of radial distribution functions of atoms, 23
Polyalcohol complexes
mononuclear, oligonuclear and polynuclear Fe(III) complexes with polyalcohols formed in alkaline aqueous media, 9
Polydentate ligand complexes
coordination of bis(2-pyridyl)phosphinic acid as tridentate ligand; crystal structure of {bis(2-pyridyl)-phosphinato}{tris(2-pyridyl)phosphine oxide}Ru(II) cation, $[Ru\{py_2P(O)O\}\{py_3PO\}]BF_4 \cdot 2H_2O$, 217
reactions of metal ions with protonated ligands; kinetics and mechanisms of reactions of Fe(III) with heptane-2,4,6-trione (H_2hto), 1-phenylhexane-1,3,5-trione (H_2phto) and 1,5-diphenylpentane-

1,3,5-trione (H_2dppto) in methanol–water (70:30 vol./vol.) at 25 °C and $I = 0.5$ mol dm^{-3}, 159
tetranuclear Cu(II) complexes with polydentate hydrazone ligands; synthesis and X-ray structure, 167
Polynuclear complexes
mononuclear, oligonuclear and polynuclear Fe(III) complexes with polyalcohols formed in alkaline aqueous media, 9
Porphyrin complexes
EPR and electronic spectroscopy study of intermediates in mono σ-nitro substituted Fe porphyrin reaction with iodosylbenzene, 107
spectral properties of Cd porphyrin apomyoglobin and apohemoglobin complexes, 221

Radical complexes
synthesis and magnetic properties of Cu(II), Ni(II) and Co(II) complexes with nitroenamine, stable nitroxide imidazolidine radical; crystal structure of $CoL_2(CH_3OH)_2$, 67
Rhenium complexes
halogen atom and electron transfer reactions of $(CO)_5MM'(CO)_3(\alpha$-diimine) (M, M' = Mn, Re) complexes, 133
preparation and optical charge transfer spectrum of hexachlororhenium(V) anion, 149
Ruthenium complexes
coordination of bis(2-pyridyl)phosphinic acid as tridentate ligand; crystal structure of {bis(2-pyridyl)-phosphinato}{tris(2-pyridyl)phosphine oxide}Ru(II) cation, $[Ru\{py_2P(O)O\}\{py_3PO\}]BF_4 \cdot 2H_2O$, 217
Ru(II)–dimethyl sulfoxide complexes with nitrogen ligands; synthesis, characterization and solution chemistry; crystal structures of *cis,fac*-$RuCl_2(DMSO)_3(NH_3)$ and *trans,cis,cis*-$RuCl_2(DMSO)_2(NH_3)_2 \cdot H_2O$, 39
synthesis and characterization of tetraammineruthenium(II) complexes bound to bridging ligand 3,6-bis(2-pyridyl)1,2,4,5-tetrazine (bptz); comparative effects of σ and π peripheral ligands on electronic absorption and electrochemical properties, 73

Selenium complexes
triangular $M_3Se_7^{4+}$ and $M_3Se_4^{4+}$ complexes (M = Mo, W); X-ray study of $Mo_3Se_7(Et_2NCS_2)_4$ and $W_3Se_7(Et_2NCS_2)_4$, 81
Silver complexes
Raman, IR and proton magnetic spectra of Ag(I) complexes of dimethyl sulfide and thiourea, 201

Technetium complexes
synthesis of Tc(V) phenylimido complex from pertechnetate; single crystal X-ray structure of $[TcCl_3(NPh)(PPh_3)_2] \cdot CH_2Cl_2$, 51
Tetranuclear complexes
tetranuclear Cu(II) complexes with polydentate hydrazone ligands; synthesis and X-ray structure, 167
Thermodynamics
correlation of acid–base properties of solutes with polarity parameters and other solvatochromic parameters of dioxane–water mixtures, 187
Thiocyanate complexes
structure of mixed-valence Pt complexes $[Pt^{II}(en)(SCN)_2][Pt^{IV}(en)(SCN)_2I_2]$ and *cis*-$[Pt^{II}(NH_3)_2(SCN)_2][Pt^{IV}(NH_3)_2(SCN)_2I_2]$ studied by method of radial distribution of atoms, 23
Thiourea complexes
Raman, IR and proton magnetic spectra of Ag(I) complexes of dimethyl sulfide and thiourea, 201
Tungsten complexes
triangular $M_3Se_7^{4+}$ and $M_3Se_4^{4+}$ complexes (M = Mo, W); X-ray study of $Mo_3Se_7(Et_2NCS_2)_4$ and $W_3Se_7(Et_2NCS_2)_4$, 81
XPS evidence for photoproduction of W(VI) cyano complexes in charge-transfer photochemistry of $W(CN)_8^{3-}$ ion in non-aqueous solvents, 5

Vanadium complexes
new N,O-donor hexadentate ligand and its first V(III) complex, 119

Water solutions
correlation of acid–base properties of solutes with polarity parameters and other solvatochromic parameters of dioxane–water mixtures, 187

X-ray crystallography
synthesis and characterization of $MnFe[\mu$-$(SC_6H_5)]_3(CO)_6$, heterobimetallic complex formed by self-assembly, 123